

## THE BEST OUALITY ROOFING PRODUCT

## ROOFING & PROFILES (FIJI) LTD. BUILD WITH CONFIDENCE

**ROOFING & SHEETMETAL MANUFACTURERS** 


P.O. BOX 9, BA, FIJI ISLANDS PHONE: (679) 667 4633 (OFF), (679) 667 3764 (FAC) FAX: (679) 667 0184 (OFF), (679) 667 3674 (FAC) Email: info@rcmanubhai.com.fj www. rcmanubhai.com.fj

**Build With Confidence** 





## **ROOF CURVING**



**Finish** Unit **Product Details Ordering** Code mm

**Curved Roofing/Tank Iron/Accessories** 

CDZA65 **RPFL Curving Quality** ZA 0.60 per m<sup>2</sup> CDGA65 GA 0.60 per m<sup>2</sup> CD--55 CB 0.60 per m<sup>2</sup>

> NOTE: Curved product other than standard bullnose roofing under 6.0m wil incur additional freight costs depending on size and shape.


Minimum 3 sheet order

No responsibility will be accepted for sheets curved from drawings. To ensure accuracy a template should be supplied. Note: For Colorbond, the 2 letter codes replace 3rd & 4th charactors in the product code.

(e.g.) for a surfinist sheet, the code becomes CDSM55).


## **Bullnosing & Curving**


Please supply template & all information wherever possible. For curving purposes it is necessary to produce a sheet with a minimum straight section into gutter (A) of 100mm. This section will be charged in the price of the sheet.



NOTE: Dimensions for A,B,C & D must be supplied with every order.

Bu	llnosing	
Α	Straight section into gutter	mm
В	Radius of curve	mm
C	Angle of roof pitch	degrees
D	Wall to fascia	mm
Nu	mber of sheets required	
Dir	ection of laying (left to right/right to left)	
Co	lour	
Otl	ner information (eg. docking, endlapping)	
	0. 11 0/	





NOTE: Dimensions C.F.G & X must be supplied with orders

E Wall to fascia	mm
F Height	
G Total sheet length	mm
X Radius	mm
Type of curve (concave/convex)	
Number of sheets required	
Colour	
Other information (eg. docking, endlapping)	